## IN THE CLAIMS:

The following is a complete, marked up listing of revised claims with a status identifier in parentheses, underlined text indicating insertions, and strikethrough and/or double-bracketed text indicating deletions.

## LISTING OF CLAIMS

1. (Previously Presented) A method of producing biogas by anaerobic digestion of organic matter, comprising:

drying organic matter to a dry solids content of at least 70% by weight total solids (TS) and subsequently pelletising the same,

grinding and mixing the pelletised organic matter with a liquid to form a slurry, wherein the pelletized organic matter is ground such that at least 80% by weight of the organic matter obtains a particle size of 0.5-3 mm,

contacting the slurry with biogas-producing bacteria for digestion under anaerobic conditions in a reactor, and

digesting the slurry while producing biogas.

- 2. (Cancelled).
- 3. (Previously Presented) A method as claimed in claim 1, wherein the dried and pelletised matter is ground before being mixed with said liquid to form the slurry.
  - 4. (Cancelled).
  - 5. (Previously Presented) A method as claimed in claim 1, wherein an

Attorney Docket No. 10400C-000142/US

additional organic matter being a different type than the organic matter is also

digested in the reactor, at least 10% by weight of the total dry solids introduced into

the reactor originating from the dried and pelletised organic matter.

6. (Previously Presented) A method as claimed in claim 1, wherein the liquid

with which the organic matter is mixed is essentially pure water.

7. (Previously Presented) A method as claimed in claim 1, wherein the liquid

with which the organic matter is mixed at least partly is digested sludge which is

removed from the reactor.

(Previously Presented) A method as claimed in claim 1, wherein the

pelletised organic matter is mixed in a premixing tank with a liquid to form said

slurry with a dry solids content of 15-45% by weight total solids(TS), and this slurry is

then introduced into the reactor to be digested at a dry solids content of 5-10% by

weight total solids (TS).

9. (Previously Presented) A method as claimed in claim 1, wherein the dried

and pelletised organic matter is dried green matter, such as dried agricultural pro-

ducts.

10. (Previously Presented) A method as claimed in claim 1, wherein the organic

matter is ground in a separate grinding process before being pelletised.

11-14. (Cancelled).

Page 4

15. (Previously Presented) A method as claimed in claim 1, wherein the dried and pelletised matter is mixed with said liquid to form the slurry before being ground.